

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/606,961	06/29/2000	James P. Rodrigues	MS 150530.1/40062.69US01	7182
7590 08/27/2004			EXAMINER KISS, ERIC B	
Merchant & Gould PC P O Box 2903 Minneapolis, MN 55402-0903			ART UNIT 2122	
DATE MAILED: 08/27/2004				

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

09/606,961

Applicant(s)

RODRIGUES ET AL.

Examiner

Eric B. Kiss

Art Unit

2122

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 26 July 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-27 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-27 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 15 January 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

### **DETAILED ACTION**

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 26 July 2004 has been entered.

Claims 1-27 are pending.

### ***Response to Amendment***

2. Applicant's amendment to the specification filed 25 May 2004 appropriately addresses the objections to the drawings and specification, as detailed in the Final Rejection mailed 2 April 2004. Accordingly, these objections are withdrawn in view of Applicant's amendment.

### ***Response to Arguments***

3. Applicant's arguments with respect to claims 1-27 have been considered but are moot in view of the new ground(s) of rejection.

However, in response to Applicant's arguments that the Goodwin et al. and Levine et al. references individually "teach away" from Applicant's claimed invention, the Examiner respectfully points out that Applicant has not cited any portions of the applied references that

Art Unit: 2122

teach any express reasoning against, or undesirable results of, employing Applicant's claimed features. Teachings that merely distinguish between instrumented and uninstrumented code do not, per se, teach away from a proposed combination where an additional reference suggests that it may be beneficial to always have instrumentation available in the code (as the newly applied prior art, U.S. Patent No. 5,960,198 to Roediger et al. teaches; see the rejection below).

*Admitted Prior Art*

4. If Applicant does not seasonably traverse the well-known statement during examination, then the object of the well known statement is taken to be admitted prior art. In re Chevenard, 139 F.2d 71, 60 USPQ 239 (CCPA 1943). A seasonable challenge constitutes a demand for evidence made as soon as practicable during prosecution. Thus, Applicant is charged with rebutting the well-known statement in the next reply after the Office action in which the well-known statement was made. This is necessary because the Examiner must be given the opportunity to provide evidence in the next Office action or explain why no evidence is required. If the Examiner adds a reference to the rejection in the next action after applicant's rebuttal, the newly cited reference, if it is added merely as evidence of the prior well known statement, does not result in a new issue and thus the action can potentially be made final.

The object of the following statement is taken to be admitted prior art:

It was well known and practiced at the time the invention was made to encode computer program instructions on such computer-readable storage media and propagated signals on carriers for the purpose of storing and transmitting the instructions during their implementation. [see the unchallenged statement of Official Notice in the rejection of claims 26 and 27, as detailed in the Final Rejection mailed 2 April 2004]

***Claim Rejections - 35 USC § 103***

5. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

6. Claims 1-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,158,049 to Goodwin et al. in view of U.S. Patent No. 6,349,406 to Levine et al. and further in view of U.S. Patent No. 5,960,198 to Roediger et al.

As per claim 1, *Goodwin et al.* disclose a computing system (see Fig. 1) for obtaining run-time internal state data within an application program, the computing system comprising:

a init module for determining if the run-time internal state data is to be collected during the operation of the application program (see registry entry description in column 10, line 59 through column 11, line 42);

a performance code marker module for obtaining and storing the run-time internal state data for later retrieval (see column 6, lines 46-64); and

an uninit module for formatting and storing the obtained run-time internal state data into memory that permits retrieval after the termination of the application program (profile data is stored in a profile optimizer database; see column 6, lines 50-52);

wherein

the init module is executed before any run-time internal state data is collected (the application program is instrumented before it is executed); and

the performance code marker module is executed each time run-time internal state data is to be collected (profile data is generated during execution; see Fig. 2).

*Goodwin et al.* fail to expressly disclose the uninit module being executed after all run-time internal state data desired has been collected. However, *Levine et al.* teach formatting and storing obtained run-time internal state data after tracing is finished (sending buffer contents to a file and generating a report; see Figs. 4 and 6 and the associated text in columns 9 and 11). Therefore, it would have been obvious to one having ordinary skill in the computer art at the time the invention was made to modify the system of *Goodwin et al.* to include formatting and storing obtained run-time internal state data after tracing is finished as per the teaching of *Levine et al.* One would be motivated to do so to reduce computational overhead while executing a debugger process.

*Goodwin et al.* fail to expressly disclose the predefined points corresponding to permanently inserted performance markers. However, *Roediger et al.* teach the insertion of instrumentation into code along with a profiling bit that can be enabled and disabled, allowing the instrumentation to be present in the code even when profiling is not desired (see, for example, col. 8, lines 15-37). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to further modify the system of *Goodwin et al.* to include permanently inserted performance markers as per the teachings of *Roediger et al.* One would be motivated to do so to gain the advantages of retaining performance-monitoring features while reducing overhead associated with those features.

As per claim 2, *Goodwin et al.* further disclose the init module determining if run-time internal state data is to be collected (see registry entry description in column 10, line 59 through

Art Unit: 2122

column 11, line 42). Therefore, for reasons stated above, such a claim also would have been obvious.

As per claims 3 and 4, *Goodwin et al.* further disclose the init module making the determination that run-time internal state data is to be collected by checking for the existence of an identification key within a system registry and checking for the existence of processing modules identified by the identification key (the registry key points to the instrumented executable and instructs the operating system to run the instrumented version; see column 11, lines 16-42; if the instrumented module identified by the system registry does not exist, it is inherent that tracing will not proceed). Therefore, for reasons stated above, such claims also would have been obvious.

As per claim 5, *Goodwin et al.* further disclose the performance code marker module collecting run-time internal state data only if the init module has determined that the run-time internal state data is to be collected (if the registry key instructing the operating system to run the instrumented executable is not present, the operating system executes the non-instrumented version; see column 10, line 59 through column 11, line 42). Therefore, for reasons stated above, such claims also would have been obvious.

As per claims 6-8, in addition to the disclosure and teachings applied above, *Goodwin et al.* further disclose generating, storing, and retrieving a performance data record containing the collected-run time internal state data (profile data is stored in a profile optimizer database as records; see column 6, lines 50-52). Therefore, for reasons stated above, such claims also would have been obvious.



As per claims 9, 10, and 12, *Goodwin et al.* fail to expressly disclose the run-time internal state data comprising benchmark timing data, memory usage data, and open file usage data. However, *Levine et al.* further teach the use of a trace tool to gather such data (see column 15, lines 1-10; and column 17, lines 26-35; benchmark timing data and memory usage are furthermore considered to be related to the state of the currently open files). Therefore, it would have been obvious to one having ordinary skill in the computer art at the time the invention was made to further modify the system of *Goodwin et al.* to include gathering and processing benchmark timing data and memory usage data as per the teachings of *Levine et al.* One would be motivated to do so to be able to determine how and when system resources are being used.

As per claim 11, *Goodwin et al.* disclose run-time internal state data comprising system registry usage data (see column 10, lines 63-67). Therefore, for reasons stated above, such claims also would have been obvious.

As per claim 13, *Goodwin et al.* disclose a method for obtaining run-time internal state data within an application program, the method comprising:

inserting one or more code markers into the application program at locations within the application program corresponding to the point at which run-time internal state data is desired (instrumenting the code; see column 10, lines 40-51);

determining if run-time internal state data is to be collected at each code marker by checking for the existence of processing modules identified by an identification key within a system registry (see registry entry description in column 10, line 59 through column 11, line 42);

if the run-time internal state data is to be collected at each code marker:

generating a performance data record containing the collected run-time internal state data each time the code markers are reached (see column 6, lines 46-64);

*Goodwin et al.* fail to expressly disclose storing the performance data records within a data memory block within the processing modules and retrieving the performance data records from the data memory block for transfer to a mass storage device once all of the run-time internal state data has been collected. However, *Levine et al.* teach the use of a trace data buffer allocated by the trace processor for storing trace data generated during a debugging process and outputting the data from the buffer to a file for post-processing after tracing is complete (see Fig. 6 and its associated text in column 11). Therefore, it would have been obvious to one having ordinary skill in the computer art at the time the invention was made to modify the method of *Goodwin et al.* to include storing performance data records in a data memory block within a processing module for subsequent transfer to a mass storage device upon completion of tracing as per the teachings of *Levine et al.* One would be motivated to do so to reduce computational overhead while executing a debugger process.

*Goodwin et al.* fail to expressly disclose the predefined points corresponding to permanently inserted performance markers. However, *Roediger et al.* teach the insertion of instrumentation into code along with a profiling bit that can be enabled and disabled, allowing the instrumentation to be present in the code even when profiling is not desired (see, for example, col. 8, lines 15-37). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to further modify the system of *Goodwin et al.* to include permanently inserted performance markers as per the teachings of *Roediger et al.* One

Art Unit: 2122

would be motivated to do so to gain the advantages of retaining performance-monitoring features while reducing overhead associated with those features.

As per claims 14-17, see the rationale applied above with respect to claims 9-12.

As per claim 18, this is a product version of the claimed method discussed above (claim 13). Furthermore, such a computer-readable product is inherently required by the system of *Goodwin et al.*, and all other limitations have been addressed as set forth above. Therefore, for reasons stated above with respect to claim 13, such a claim also would have been obvious.

As per claims 19 and 20, see the rationale applied above with respect to claims 3 and 4.

As per claim 21, *Goodwin et al.* fail to expressly disclose the data memory block being within the processing module. However, *Levine et al.* teach the use of a trace data buffer allocated by the trace processor for storing trace data generated during a debugging process. Therefore, it would have been obvious to one having ordinary skill in the computer art at the time the invention was made to further modify the product of *Goodwin et al.* to include the data memory block being within the processing module as per the teaching of *Levine et al.* One would be motivated to do so to reduce computational overhead while executing a debugger process.

As per claims 22-25, see the rationale applied above with respect to claims 9-12.

As per claim 26 and 27, as admitted prior art, it was well known and practiced at the time the invention was made to encode computer program instructions on such computer-readable storage media and propagated signals on carriers for the purpose of storing and transmitting the instructions during their implementation. Therefore, it would have been obvious to one having ordinary skill in the computer art at the time the invention was made to further modify the

Art Unit: 2122

product of *Goodwin et al.* to include such storage media and propagated signals as they are well-suited to embodying such program instructions.

Art Unit: 2122

***Conclusion***


7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

8. Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Eric B. Kiss whose telephone number is (703) 305-7737. The Examiner can normally be reached on Tue. - Fri., 7:30 am - 5:00 pm. The Examiner can also be reached on alternate Mondays.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Tuan Dam, can be reached on (703) 305-4552. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

EBK / EBK  
August 13, 2004

  
**TUAN DAM**  
**SUPERVISORY PATENT EXAMINER**